

Part Number: PT218-75110

NOTE: Part number of this accessory may not be the same as the part number shown.

Kit Contents

Item #	Quantity Req'd.	Description
1	1	Cargo Liner
2		
3		
4		
5		
6		

Hardware Bag Contents

Item #	Quantity Req'd.	Description
1		
2		
3		
4		

Additional Items Required For Installation

Item #	Quantity Req'd.	Description
1		
2		
3		

Conflicts

--

Recommended Tools

Personal & Vehicle Protection	Notes
Vehicle Protection	Seat & Floor Covers
Special Tools	Notes
Trim tool	Not provided
Installation Tools	Notes
Special Chemicals	Notes

General Applicability

--

Recommended Sequence of Application






Item #	Accessory
1	
2	
3	

*Mandatory

Vehicle Service Parts (may be required for reassembly)

Item #	Quantity Req'd.	Description

Legend

	STOP: Damage to the vehicle may occur. Do not proceed until process has been complied with.
	OPERATOR SAFETY: Use caution to avoid risk of injury.
	CAUTION: A process that must be carefully observed in order to reduce the risk of damage to the accessory/vehicle and to ensure a quality installation.
	TOOLS & EQUIPMENT: Used in Figures calls out the specific tools and equipment recommended for this process.
	REVISION MARK: This mark highlights a change in installation with respect to previous issue.

Section II - Installation Procedure


Care must be taken when installing this accessory to ensure damage does not occur to the vehicle. The installation of this accessory should follow approved guidelines to ensure a quality installation.

These guidelines can be found in the "Accessory Installation Practices" document.

This document covers such items as:-


- Vehicle Protection (use of covers and blankets, cleaning chemicals, etc.).
- Safety (eye protection, rechecking torque procedure, etc.).
- Vehicle Disassembly/Reassembly (panel removal, part storage, etc.).
- Electrical Component Disassembly/Reassembly (battery disconnection, connector removal, etc.).

Please see your Lexus dealer for a copy of this document.




1. INSTALL THE CARGO LINER

- (a) Prior to installation, it is recommended that you place the Cargo Liner in a warm area for a few minutes to make the material more pliable, which will make it easier to install.
- (b) Put both rear seats down. (Fig 1-1)



- (c) Detach the carpeted bridge curtain and tuck it down into the space between the seats and the cargo area (Fig 1-2)



- (d) Place the Cargo Liner pocket over the bridge panel on the right side, sliding down both corners at the same time. Repeat for the left bridge panel. Tuck in all extra material under the bridge pockets on both sides. (Fig 1-3)




Fig. 1-4

- || (e) Attach the Cargo Liner to the backrest of the rear seats. Use a Trim Tool to maneuver the Cargo Liner around the Child Safety Anchor. On the right side, place the (2) openings for the child anchors over the top of the (2) Child Safety Anchors and slide the Cargo Liner down. Then place the opening over the bottom of the Child Safety Anchors and slide up into place. If the Child Safety plastic pops-up out of place just push it back down. (Fig 1-4)




Fig. 1-5

- || (f) Insert (6) tabs in between the carpet panel and the seat back to secure the Cargo Liner to the backrest of the rear seats. (Fig 1-5)




Fig. 1-6

- || (g) Smooth out and align the Cargo Liner so that the cargo area is fully protected. If you have a subwoofer, fold the material underneath the Cargo Liner on that side. The Bumper Cover material can be tucked underneath the Cargo Liner in front of the Lexus logo. (Fig 1-6)




Fig. 1-7

- || (h) When loading and unloading the vehicle cargo area you can unfold the Bumper Cover and place it over the bumper to protect your vehicle. (Fig 1-7)

Checklist - these points **MUST** be checked to ensure a quality installation.

Check:

Look For:

Accessory Function Checks

Check visual alignment

Cargo Liner covers all of the carpeted floor area and the back of the rear seats.

Vehicle Function Checks

None Required